

Designed for Gaming Enthusiasts

775GT2-LOG ATX Motherboard Series



Nvidia's SLI technology / Intel Core 2 Duo / PCI-E x16
8-CH Audio / 1066 MHz FSB

Overview

- Supports Intel Core 2 Duo processor (65nm & 90nm)
- Supports up to 1066 MHz FSB
- Supports PCI Express x16 for ultimate GPU computing performance
- SLI support for ultimate gaming experience
- Supports 4 Serial ATA2 Devices with RAID functions
- Dual Channel DDR2 expandable up to 2 GB
- AC' 97 8-Channel Audio CODEC
- CPU Thermal Throttling to protect CPU from overheating.
- CPU Smart Fan to reduce fan noise.
- CPU Vcore 7-Shift allows CPU voltage to be adjusted for over-clocking.



Specifications

Form Factor	ATX 30.5 cm x 24.4 cm
CPU	Supports Intel Pentium 4, Celeron D, Pentium D, and Core 2 Duo Socket type: 775
Memory	2 * Dual Channel 240-pin DIMM Sockets for unbuffered DDR2 667 SDRAM up to 2 GB
Chipset	NVIDIA nForce 570 SLI Intel Edition Chipset Northbridge + nvidia nForce 430MCP Southbridge
PCI enhanced IDE	2 * Ultra DMA 133 / 100 / 66 / 33 IDE Devices Support
Serial ATA Interface	4 * Serial ATA2 Devices Support
Audio Interface	Realtek ALC 8-Channel AC 97' Audio CODEC
LAN Interface	Marvell 88E1116 10 / 100 / 1000 LAN PHY
Extended Interface	3 * 32-bit PCI Slot 3 * PCI Express x16 (SLI x8 / x8) 1 * PCI Express x1
Internal I/O Port	2 * High Speed USB Connectors @ 480 M-bit / s for 4 USB 2.0 Ports CPU / Chassis Fan Connectors; 25-pin parallel connector 1 * 12V 4-pin ATX Power Connector and 1 * 24-pin ATX Power Connector CD / AUX Audio in 1 * Serial Port Header
External I/O Port	2 * High Speed USB Connectors @ 480 Mbit / s 1 * Serial Port 1 * Coaxial Audio In Connector & 1 * Coaxial Audio out Connector 1 * PS/2 Mouse & 1 * PS/2 Keyboard 1 * RJ45 Connector 1 * Audio I/O
BIOS	Award 4 MB Flash ROM
Power Requirement	Standard 24-Pin ATX Power supply

* The specification may be changed without further notice.

* For further information, please go to <http://www.jetwaycomputer.com>

* To contact us, please call at (510) 857 - 0130