

2011


IPC

Product Launch Guide


--[NAF92R-Q67]

Based on Intel® Q67 Express Chipset





1. Intel® Q67 Express Chipset
2. Supports Intel LGA 1155 Socket Core™ i3, i5, i7 & Pentium Processors
3. Support 4 * 240 pin 4GB 1333/1066 Dual CH DDR3 DIMM Max. up to 32GB
4. Intel 82579LM & 82574L Gigabit LAN
5. Intel Active Management Technology (iAMT 7.0)
6. Support TPM 1.2 Header
7. Support CPU Smart FAN
8. Supports ACPI S3 Function
9. Support Watch dog Technology
10. ATX form factor (305mm x 244mm)



Specifications

■ CPU	INTEL® LGA 1155 Socket Core i7/i5/i3/Pentium Processor
■ Chipset	INTEL® Q67 Chipset
■ Memory	4 * 240 pin 4GB 1333/1066 Dual CH DDR3 SDRAM DIMM Max. up to 32GB
■ Expansion Slots	1 *PCIe x 16, 4 * PCI, 1 * PCIe x 1, 1 * PCIe x 4 1 * MINI PCI-E & 1 * mSATA socket
■ Storage	2 * SATA3 6Gb/s & 3 * SATA2 3Gb/s connectors support RAID 0, 1, 5, 10
■ Audio	Realtek ALC662 HD Audio (NAF92R-Q67) VIA VT1705 HD Audio (NAF92-Q67)
■ Ethernet LAN	Intel 82579LM & 82574L PCI-E Gigabit Ethernet LAN
■ USB	Embedded 12 * USB 2.0/1.1
■ Special Features	Support ACPI S3, Support CPU Smart FAN, Support Watch Dog
■ Rear Panel I / O	6 * USB 2.0/1.1 ports 1 * PS2/KB Connector 2 * RJ-45 port 1 * HDMI port 1 * COM port 1 * VGA port 3 * Audio Phone Jack
■ Internal I / O	3 * USB 2.0/1.1 headers for 6 USB 2.0 ports CPU /NB / Chassis Fan connectors 1 * Parallel header 1 * GPIO header 9 * COM header (COM2 for RS232/422/485) 1 * TPM 1.2 header 1 * IR header 1 * Chassis Intrusion header 1 * AUDIO header 1 * 24-pin & 8-pin 12V ATX Power connector
■ BIOS	AMI EFI 64MB SMT Flash ROM
■ Form Factor	ATX form factor (305mm x 244mm)
■ Functional	ATM, Automation, medical Equipment, Security, Networking, POS, General Application, Gaming Machine, Transportation
■ Certificate	CE, FCC, RoHS
■ Temperature	Operating within 0~60 centigrade Storage within -20-85 centigrade

□ For further information please visit www.jetwaycomputer.com

□ Specifications subject to change without notice